DELPHION

RESEARCH PRODUCTS

My Account

INSIDE DELPHION

Search: Quick/Number Boolean Advanced Derwent

Help

<u>High</u>

Resolution

No active trail

The Delphion Integrated View: INPADOC Record

Get Now: PDF | File History | Other choices Add Tools: Add to Work File: Create new Work File Go to: Derwent View: Jump to: Top Email this to a friend

> ₽Title: IL0122687A1: FUNGICIDAL FORMULATION OF TEBUCONAZOLE DILUTED IN

WATER CONTAINING A CRYSTALLIZATION INHIBITING ROSIN DERIVATIVE AND PROCESS FOR PREVENTING THE CRYSTALLIZATION THEREOF

PDerwent Title: Crystallisation inhibition during spraying of fungicide solutions - consists of

applying a tar product in solution containing tebuconazol [Derwent Record]

용Country:

A1 Application Laid open to Publ. insp. [(See also: IL0122687A0)) ♥Kind:

PInventor: DAVID LUBETZKY; MICHAEL GERMAN;

MAKHTESHIM CHEMICAL WORKS LTD. **P**Assignee:

News, Profiles, Stocks and More about this company

Published / Filed: 2003-11-23 / 1997-12-21

② Application

IL1997000122687

Number: PIPC Code:

IPC-7: A01N 43/653; C07D 249/08;

FECLA Code: None

Priority Number:

1997-12-21 IL1997000122687

VINPADOC Legal Status:

Gazette date	Code	Description (remarks)	List all possible codes for IL	
2008-01-22	KB+	Patents renewed		
2005-03-20	KB+	Paténts renewed		
2004-05-12	FF+	Patents granted		

Get Now: Family Legal Status Report

운Family:

PDF	<u>Publication</u>	Pub. Date	Filed	Title		
	IL0122687A1	2003-11-23	1997-12-21	FUNGICIDAL FORMULATION OF TEBUCONAZOLE DILUTED IN WATER CONTAINING A CRYSTALLIZATION INHIBITING ROSIN DERIVATIVE AND PROCESS FOR PREVENTING THE CRYSTALLIZATION THEREOF		
	IL0122687A0	1998-08-16	1997 - 12-21	Novel crystallization inhibitors		
Ø	BR9803583A	1999-10-05	1998-09-16	EMPREGO DE UM INIBIDOR DE CRISTALIZACAO DURANTE APLICACAO DE SOLUCOES AQUOSAS DE PULVERIZACAO CONTENDO O FUNGICIDA TEBUCONAZOL, PROCESSO PARA IMPEDIR A CRISTALIZACAO DO FUNGICIDA TEBUCONAZOL E FORMULACAO PESTICIDA DE TEBUCONAZOL		
3	3 family members shown above					

8 Other Abstract Info:

None





Gallery of Obscure... Patents

Nominate this for the Gallery...



Copyright @ 1997-2009 Thomson Reuters

Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help

STATE OF ISRAEL PATENT OFFICE



מדינת ישראל לשכת הפטנטים

1967 - חוק הפטנטים, התשכ״ז Patents Law, 5727 - 1967

תעודת פטנט CERTIFICATE OF PATENT

This is to certify that the following particulars have been recorded in the Register of Patents:

זאת לתעודה כי הפרטים דלהלן נרשמו בפנקס הפטנטים:

Patent No:

122687

מס׳ הפטנט:

Date of Application:

21/12/1997

:תאריך הבקשה

Title of Invention:

21/12/1997

שם האמצאה:

FUNGICIDAL FORMULATION OF TEBUCONAZOLE DILUTED IN WATER CONTAINING A CRYSTALLIZATION INHIBITING ROSIN DERIVATIVE AND PROCESS FOR PREVENTING THE CRYSTALLIZATION THEREOF פורמולצית קוטל-פטריות של טבוקונזול מדולל במים המכיל נגזרת רוזין מונעת התגבשות ותהליך למניעת התגבשותה

Patentee (s):

MAKHTESHIM CHEMICAL WORKS LTD. P.O. BOX 60 Beer Sheva, Israel :בעל (י) הפטנט

מכתשים מפעלים כימיים בעיימ נועם מושקין/מחי קנין רוחני ת.ד. 60 באר שבע 84100

Inventor (s)

DAVID LUBETZKYJ

ממציא (ים)

מיכאל גרמן

דוד לובצקי

Date of Publication:

01/12/1988

תאריך פרסום קיבול הבקשה:

Date of Grant:

08/12/2004

תאריך מתן פטנט:

מעודה זו הינה אישור כי דבר מתן הפטנט* נרשם בפנקס הפטנטים.

This Certificate certifies that the grant of the Patent* has been recorded in the Register of Patents.

P811.1

ד״ר מאיר נועם, עו״ד ועו״פ, רשם הפטנטים, המדגמים וסימני המסחר



לשימוש הלישכה

Patent Law, 5727 - 1967 For Office Use בקשה לפטנט מספר: 122687/4 **Application for Patent** Number 01329 ∾ 21-12-1997 :תאריך Date אנר, (שם המבקש, מענו ולגבי גוף מאוגד - מקום התאגדותו) הוקדם/נדחה (Name and address of applicant, and in case of body corporate-place of incorporation) Ante/Post-Dated ממציאים: מכתשים מפעלים כימיים בע״מ Makhteshim Chemical Works Ltd. Inventor: דוד לובצקי חברה רשומה בארץ David Lubetzky A Company Registered in Israel מיכאל גרמן Michael German אזור תעשיה, ת.ד. 60 Industrial Zone, P.O.Box 60 באר שבע 84100 Beer Sheva 84100 LAW הדין בעל ההמצאה מכח ששמת הוא an invention the title of which is Owner, by virtue of פורמולצית קוטל-פטריות של טבוקונזול מדולל במים המכיל נגזרת רוזין מונעת התגבשות (בעברית) (Hebrew) ותהליך למניעת התגבשותה FUNGICIDAL FORMULATION OF TEBUCONAZOLE DILUTED IN

WATER CONTAINING A CRYSTALLIZATION INHIBITING ROSIN DERIVATIVE

AND PROCESS FOR PREVENTING THE CRYSTALLIZATION THEREOF

מבקש בזאת כי ינתן לי עליה פטנט hereby apply for a patent to be granted to me in respect thereof. *בקשת חלוקה -דרישה דין קדימה *בקשת פטנט מוסף -Priority Claim Application of Division Application for Patent Addition תאריך מדינת האיגוד *מבקשת פטנט *לבקשה/לפטנט מספר/סימן Convention Country Date to Patent/Appl. Number/Mark from Application מס׳ ____ פא מס׳ _____ מיום dated _____ *יפוי כת: כללי / מיוחד - דצוף בזה / עוד-יוגש P.O.A.: general /-individual -- attached / to-be-filed-later רשם הפטנטים - השפריה IL 122964 __ הוגש בענין filed in case המען למסירת מסמכים בישראל 2003. '111 2 Address for Service in Israel תאריך הפרטי נעם מושקין Publication date: מחלקת קנין רוחני ת.ד. 1646 מספרנו: (4.057(Ⅲ) עומר 84965 12 בחרדש 18 היום Signature of Applicant חתימת המבקש שנת 1997 This of of the year לשימוש הלישכה For the Applicant NOAM MUSHKIN

טופס זה כשהוא מומבע בחותם לישכת הפסנטים ומושלם במספר ובתאריך ההגשה, הינו אישור להגשת הבקשה שפרטיה רשומים לעיל. This form, impressed with the Seal of the Patent Office and indicating the number and date of filing, certifies the filing of the application the particulars of which are set out above.

Delete whatever is inapplicable מחק את המיותר*

חוק הפטנטים, תשכ"ז-1967

(באנגלית)

(English)

פורמולצית קוטל-פטריות של טבוקונזול מדולל במים המכיל נגזרת רוזין מונעת התגבשות ותהליך למניעת התגבשותה

FUNGICIDAL FORMULATION OF TEBUCONAZOLE DILUTED IN WATER CONTAINING A CRYSTALLIZATION INHIBITING ROSIN DERIVATIVE AND PROCESS FOR PREVENTING THE CRYSTALLIZATION THEREOF

INTRODUCTION

The present invention relates to the new use of rosin and rosin derivatives for preventing the crystallization during application of aqueous spray liquors based on tebuconazole fungicidal active compound. The present invention more particularly concerns the use of rosin and rosin derivatives, to prevent the crystallization of the triazole fungicide, tebuconazole from certain of its formulations.

BACKGROUND OF THE INVENTION

Spray apparatuses which are usually employed for applying aqueous formulations of plant treatment agents contain several filters and nozzles. Thus, for example, there are suction filters between the suction component and tank pump, and furthermore pressure filters positioned in the pressure region downstream of the pump. Nozzle filters can also be present directly before the spray nozzles. All of these filters and the nozzles may be blocked to a greater or lesser extent by active compound which crystallizes out during application of aqueous spray liquors based on solid active compounds.

OBJECTIVES OF THE INVENTION

It is the objective of the present invention to provide a novel formulation for the fungicide tebuconazole which prevents the crystallization of the active ingredient upon dilution prior to its use as sprays. It is a further objective of the present invention to provide a formulation of tebuconazole with markedly improved properties with a much lower tendency to crystallize out than in previously reported formulations of tebuconazole.

SUMMARY OF THE INVENTION

We have found a new process for preventing the crystallization of the fungicide tebuconazole during the application of aqueous spray liquors thereof. The new process is characterized in that the crystallization inhibitor is chosen from the group consisting of rosin, rosin gum, hydrogenated rosin, and polymerized rosin gum. The new process yields a fungicide with markedly improved properties and with a much lower tendency to crystallize.

The ratio of crystallization inhibitor to tebuconazole fungicide of the new process is in the range of 0.05 to 25 to 5 to 20, preferably 0.1 to 5 to 2 to 15, and most preferably 0.1 to 1 to 10.

This invention further relates to a fungicidal formulation of tebuconazole diluted in water (aqueous spray liquor) containing a crystallization inhibitor selected from the group consisting of rosin, rosin gum, hydrogenated rosin and polymerized rosin. The new tebuconazole formulation is based on a ratio of crystallization inhibitor to tebuconazole in the range of 0.05 to 25 to 5 to 20, preferably 0.1 to 5 to 2 to 15, and most preferably 0.1 to 1 to 1 to 10.

This formulation may also contain various additives such as surface active substances, emulsifiers, polaric solvents with or without water, and the like. The formulations of the present invention are stable under the conventional testing conditions such as cold, hot and room storage conditions.

EXAMPLE 1

Formulation A containing 250 g/l of Tebuconazole having the following composition:

Tebuconazole tech 98.8%
Surfactant sorprofor 14/R
Surfactant witconol NS-500-LQ
Gum Rosin pale w/w
Dipropylene glycol
Soft water
N-Methyl-Pyrrolidone(NMP)

253 g

90 gr

80 gr

160 gr

70 gr

120 gr

up to 1000 ml

was prepared by the following procedure:

160 gr of gum rosin, 70 gr of dipropylene glycol, and 61 gr of NMP were mixed while being heated to approximately 100°c. The mixing continued until full solubilization of the rosin. Approximately 20 min after solubilization the solution was cooled to 50°c and to this solution the rest of the additives and the tech. tebuconazole were added. This mixture was stirred for an additional 20 min until a clear solution obtained.

A comparative formulation B having the following composition:

Tebuconazole tech 98.8%surfactant soprofor 14/RSurfactant witconol NS-500LQDipropylene glycolSoft waterNMP
253 gr
90 gr
80 gr
70 gr
120 gr
up to 1000 ml

Each of the above formulations were diluted in water to 0.5%. (CIPAC-D, equivalent to 342 ppm hardener and a temperature of 30°C) and stirred by magnetic stirrer at 300 r.p.m. for 30 minutes and then sieved on a 400 mesh screen. The aqueous emulsion according to Formulation A showed no crystals remaining on the screen while the aquous emulsion according to Formulation B had crystals which remained on the screen.

The emulsion stability of both above describe formulations were run by diluting with water to 0.5% without stirring keeping the temperature at 30°C in 100 ml cylinders. The two cylinders were allowed to stand without shaking or mixing for 2 hours. While the emulsion according to formulation A was free from sediment and crystals, the emulsion according to formulation B showed a considerable amount of needle-like crystals.

CLAIMS

- 1. A process for preventing the crystallization of the fungicide tebuconazole during the application of aqueous spray liquors characterized in that the crystallization inhibitor is chosen from the group consisting of rosin, rosin gum, hydrogenated rosin, and polymerized rosin.
- 2. A process according to Claim 1 wherein the ratio of crystallization inhibitor to tebuconazole fungicide is 0.05 to 25 to 5 to 20, preferably 0.1 to 5 to 2 to 15, and most preferably 0.1 to 1 to 10.
- A fungicidal formulation of tebuconazole diluted in water (aqueous spray liquor) containing a
 crystallization inhibitor selected from the group consisting of rosin, rosin gum, hydrogenated rosin
 and polymerized rosin.
- 4. A formulation according to Claim 3 wherein the ratio of crystallization inhibitor to tebuconazole is 0.05 to 25 to 5 to 20, preferably 0.1 to 5 to 2 to 15, and most preferably 0.1 to 1 to 10.
- 5. A formulation according to Claim 3 containing:
 - (a) 2 to 25 parts by weight of tebuconazole; and
 - (b) 1.5 to 25 parts of weight of the crystallization inhibitor.